

Optimized access to distributed relational database system

J. Hrivnac

► To cite this version:

J. Hrivnac. Optimized access to distributed relational database system. XV International Conference on Computing in High Energy and Nuclear Physics (CHEP-06), Feb 2006, Mumbai, India. pp.383-385. in2p3-00168152

HAL Id: in2p3-00168152 https://in2p3.hal.science/in2p3-00168152v1

Submitted on $27~\mathrm{Aug}~2007$

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Optimized access to distributed relational database system

J.Hrivnac, LAL, Orsay, France

Abstract

Efficient and friendly access to the large amount of data distributed over the wide area network is a challenge for the near future LCG experiments. The problem can be solved using current standard open technologies and tools. A JDBC standard solution has been chosen as a base for a comprehensive system for the relational data access and management. Widely available open tools have been reused and extended to satisfy HEP needs.

- An SQL backend has been implemented for the Abstract Interface for Data Analysis (AIDA), making relational data available via standard analysis API. Interfaces to several languages, plugins to Java Analysis Studio as well as Web Service access are available and interfaced with Atlas Event Metadata (Tag) database.
- Clustered JDBC (Sequoia) from ObjectWeb Consortium has been reused to enable transparent and optimized access to distributed relational database. Several extensions are under development.
- Octopus replication tool from ObjectWeb Consortium has been extended with specific requirements of the Atlas experiment and used to replicate Atlas data over heterogeneous database network.

JDBC

Java Database Connectivity (JDBC)[1] is the foundation of almost all Java database application. It can access most relevant SQL databases. Enormous amount of high-quality applications (free or commercial) is based on JDBC. JDBC allows to construct a complete databased-based framework with a minimum additional code.

SQLTUPLE AND COLMAN

SQLTuple[2] extends FreeHEP[3] implementation of ITuple AIDA[4] interface so that ITuples can be stored in an SQL database. It supports any relational DB backend via JDBC standard interface. All AIDA operations (projections, filters, evaluators,...) are supported in a standard way. Some new functions have been included on top of standard AIDA Interface. SQLTuple can be used in any AIDA-compliant tool. SQLTuple understands LCG[5] Pool[6] AttributeList data. ColMan[7] provides higher level utilities for managing (Event) Collections. See Fig. 1 for SQLTuple and ColMan Design Overview.

JAS Plugins



Figure 2: JAS Plugins.

Both SQLTuple and ColMan are available as JAS[8] plugins (see Fig. 2). All functionality is available via standard JAS GUI. Specific functionality (like SQL queries) is added to the JAS GUI. Interoperability with other JAS plugins is assured.

Multilanguage Interfaces

Selected SQLTuple/ColMan functionality is available to legacy C++ applications via proxies created by JACE[9]. All SQLTuple/ColMan functionality is available to Python applications using Jython[10] or JPype[11] (when access to C++ is needed too). Access from other languages (Ruby[12], Groovy[13],...) is possible directly.

Web Service

ColMan Event Selector is available via XML-RPC[14] service (see Fig. 3). The service is generally deployed as /*ColMan/EventSelector* Web Service application and can be accessed via ColMan Web Service Client. JSP (Java Server Pages)[15] GUI for ColMan tools has been deployed as /*ColMan-GUI* Web Service application and can be accessed directly from the standard Web Browsers.

SEQUOIA

SQL tables can be spread over several database Servers, some tables may be replicated. User wants a single frontend. Sequoia[16] (described on Fig. 4) acts as a (Proxy)



Figure 1: SQLTuple and ColMan.

Virtual SQL Server forwarding all requests to appropriate databases (real or another virtual). Replicated and/or complementary tables are supported (even on heterogeneous Servers), similar to RAID disks. Sequoia is used via its JDBC driver, so any application using JDBC API can directly use Sequoia. No application modification is required to use Sequoia. Sequoia directly handles any SQL query. No pre-knowledge is needed, no specialized interface is required. Sequoia handles both query (read access) and update (write access). JDBC interface can be transparently accessed from other languages (Python, Ruby, Groovy, C++,...). Sequoia has been developed by Continuent[17].

OCTOPUS

Octopus[18] (described on Fig. 5) is a Java-based Extraction, Transformation, and Loading tool. It may connect to any JDBC data sources and perform transformations defined in an XML file. Octopus has been customized to support non-standard SQL features used in LCG and to overcome LCG-specific bugs. Octopus is routinely used to replicate Atlas Detector Description database. It has been successfully tested with other Atlas databases. Octopus has been developed by Enhydra[19].

REFERENCES

- [1] http://java.sun.com/products/jdbc
- [2] http://home.cern.ch/hrivnac/Activities/Packages/SQLTuple
- [3] http://java.freehep.org
- [4] http://aida.freehep.org
- [5] http://lcgapp.cern.ch
- [6] http://lcgapp.cern.ch/project/persist
- [7] http://home.cern.ch/hrivnac/Activities/Packages/ColMan

ilo Edit)	Colivian	Even	Sele	ictor Toolo	- Winde	zilla (l	Build Deb	ID: 2	0050	11311	6}			
	Ziew <u>d</u> u		diks <u>i</u>		minua	iw ⊡ei	J Dep	uy <u>s</u>	M		0		-	1000
Back		Reload		9	http://lo	calhost:	8080/C	olMar	-GL	Go	Searc	h P	rint	ШШ
	🛇 Google	S Wik	ipedia	Q De	ejaNew	s 🛇 RF	'M Find	B	abelFi	sh 🗇 I	vieteo	Ter	porary	
Salk da	- E		0											
Jonvia	n Eve	enta	Sele	SCI (or									
sing <u>All</u>		2												
	-													-
Tuple URL	;jdbc:my	sql://loc	alhost/T	uples	/tuple_	merged								
ilter:	EventN	umber <	1000											
ser	test			_	r.									
acculord	tact	_	_	_	e									
asswuru.	liest													
Select	Reset	1												
		2 <u>111</u> 73	14210 121			<u></u>		0.98	000.0					
bc:mysql://	localhos	t/Tuple	s/tuple	me	rged	EventN	lumbe	r < 10	00]					
B=8C7AA3F	9-BC37-D	911-82	79-00Dr	08788	36D017	[CNT=P(00LCon	taine	r Dat	aHeade	n1[CL	ID=9DD)1A285	-5989
B=8C7AA3F	9-BC37-D	911-82	79-00D0	0B7B8	36D01	[CNT=PO	JOLC on	taine	r_Dat	aHeade	er][CL	ID=9DC)1A285	-5989
B=8070075	9-BC37-D	911-82	79-0000	JR/RS	S6001	LUNT=PU	JULUON	taine	r_Dat	aHeade	en j [[UL	10=90L	J1H285	-5985
B=807663F	9-DC37-D 9-RC37-D	911-02	79-0000	OB7B2	SEDUL]	CONT=PC	OLCON	taine	n_Dat	aheaus	I I CI	TD=9DL	16285	-5920
B=8C7AA3E	9-BC37-D	911-82	79-00D	0B7B8	36D01	TONT=PI	OLCon	taine	r Dat	aHeade	in Trai	TD=9DE	016285	-5989
B=8C7AA3F	9-BC37-D	911-82	79-00D	OB7B8	36D01	CNT=P0	OLCon	taine	r Dat	aHeade	riicL	ID=9DD	01A285	-5989
B=8C7AA3F	9-BC37-D	911-82	79-00D	0B7B8	36D01	CNT=PO	OLCon	taine	r Dat	aHeade	er][CL	ID=9DD	01A285	-5989
B=8C7AA3F	9-BC37-D	911-82	79-00D(0B7B8	36D01	[CNT=PO	OLCon	taine	r_Dat	aHeade	er][CL	ID=9DD)1A285	-5989
B=8C7AA3F	9-BC37-D	911-82	79-00D(0B7B8	36D01]	[CNT=PO	JOLCon	taine	r_Dat	aHeade	er][CL	ID=9DD)1A285	-5989
B=8C7AA3F	9-BC37-D	911-82	79-00D0	0B7B8	36D01]	[CNT=PO	DOLCon	taine	r_Dat	aHeade	er][CL	ID=9DD)1A285	-5989
D-007007E	0 0077 0	D11 000	70.0000	00700	20004.3	FOUT-DO	201.0		. Det	ملمحملك		10-000	10005	Enor

Figure 3: Web Service.

- [8] http://jas.freehep.org/jas3
- [9] http://sourceforge.net/projects/jace
- [10] http://www.jython.org/
- [11] http://jpype.sourceforge.net/
- [12] http://www.ruby-lang.org
- [13] http://groovy.codehaus.org
- [14] http://www.xmlrpc.com
- [15] http://java.sun.com/products/jsp
- [16] http://sequoia.continuent.org/HomePage
- [17] http://www.continuent.org
- [18] http://www.enhydra.org/tech/octopus
- [19] http://www.enhydra.org



Figure 4: Sequoia.



Figure 5: Octopus.